Article Print o Versio	date: 22.09.2020 Re	KAS Acryl Klarlack seidenmattvision date: 25.01.2018sue date: 23.03.2015Page: 1 / 6		
	SECTION 1: Identification of t	he substance/mixture and of the company/undertaking		
1.1.	product identifiers Article No. (manufacturer/supplier): Identification of the substance or m			
1.2.	Relevant identified uses of the su Relevant identified uses Paints for Arts, Hobby & Craft Artists supply and hobby preparation Coatings and paints, thinners, paint			
1.3.	Details of the supplier of the safe	ty data sheet		
	Supplier (manufacturer/importer/ Daler-Rowney Ltd Peacock Lane Bracknell, RG12 8SS ENGLAND	Telephone: +44 (0) 1344 461083 Telefax: +44 (0) 1344 486511		
	Dept. responsible for information			
	E-mail	Philip.Gray@daler-rowney.com		
1.4.	Emergency telephone number Emergency telephone:	+44 (0) 1344 461000		
	SECTION 2: Hazards identification			
	Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].			
2.2.	Label elements			
		ed according to EC directives or corresponding national laws.		
	Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms			
	Hazard statements not applicabl	e		
	Precautionary statements not applicabl	e		
	contains: not applicabl	e		
	no. 247-500-	n (EU) -benzisothiazol-3(2H)-one; reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC ·7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1); ·isothiazol-3-one. May produce an allergic reaction.		
2.3.	Other hazards			
	SECTION 3: Composition / inf	ormation on ingredients		
3.2.	Mixtures			
	Product description / chemical cl	haracterization		
	Description acrylic paint			
	Hazardous ingredients			
	Classification according to Regulation (EC) No 1272/2008 [CLP] EC No. REACH No.			

EC No.	REACH No.	
CAS No.	Chemical name	Wt %
INDEX No.	classification:	Remark

cle No.: t date: sion:	22400000 22.09.2020 1.3	LUKAS Acryl Klarlack seidenmatt Revision date: 25.01.2018 Issue date: 23.03.2015	EN Page: 2 / 6	
220-120-9 2634-33-5	1.2 bo	nzisothiazol-3(2H)-one		< 0.5
613-088-00	0-6 Acute H318	Tox. 4 H302 / Acute Tox. 2 H330 / S / Skin Sens. 1 H317 / Aquatic Acu c 2 H411	-	< 0,0
55965-84-9 613-167-00)-5 and 2- Acute 1B H3	on mass of: 5-chloro-2-methyl-4-isothia methyl-2H -isothiazol-3-one [EC no. 220 Tox. 3 H301 / Acute Tox. 3 H311 / / 14 / Skin Sens. 1A H317 / Aquatic Ac ic 1 H410	-239-6] (3:1) Acute Tox. 3 H331 / Skin Corr.	< 0,5
220-239-6				
2682-20-4	Acute 1 H31	nyl-2H-isothiazol-3-one Tox. 3 H301 / Acute Tox. 2 H330 / S 8 / Skin Sens. 1A H317 / Aquatic Ad ic 2 H411	-	< 0,5

Additional information

Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm.

4.2. **Most important symptoms and effects, both acute and delayed** In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases:

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Special protective equipment for firefighters

Provide a conveniently located respiratory protective device.

Additional information

Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Article No.:	22400000	LUKAS Acryl Klarlack seidenmatt		
Print date:	22.09.2020	Revision date: 25.01.2018	EN	
Version:	1.3	Issue date: 23.03.2015	Page: 3 / 6	

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed.

Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C.

7.3. Specific end use(s)

Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

INDEX No. not applicable / CAS No.

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Occupational exposure controls

Respiratory protection

Not applicable.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,4 mm Breakthrough time (maximum wearing time) 30 min

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Wear suitable protective clothing and gloves.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:LiquidPhysical state:Liquid

Flas Vap Den Wat pH a Visc 9.2. Othe SEC 10.1. Rea 10.2. Che Stat sect 10.3. Pos 10.4. Con Stat sect 10.5. Inco 10.6. Haz smo SEC 10.6. Haz smo SEC 10.6. Inco 11.1. Info Acu Toxi Irrita Toxi Sen Toxi Spe Toxi Asp Toxi Prac	bur: ety relevant basis data sh point: our pressure at 20 °C:: sity at 20 °C:: ter solubility (g/L): at 20 °C:: cosity at °C:: er information: CTION 10: Stability and activity emical stability ble when applying the rection 7. sibility of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rection for the stability of hazardous readitions to avoid ble when applying the rections to avoid ble when applying th	commended regulations for	19,99 1,01 g/cm ³ oluble 8,5 - storage and handlir storage and handlir	ng. Further information on						
Safe Flas Vap Den Wat pH a Visc 9.2. Othe Stat sect 10.1. Rea 10.2. Che Stat sect 10.3. Pos 10.4. Con Stat sect 10.5. Incc 10.5. Incc 10.6. Haz smo SEC 10.1. Rea 10.2. Che Stat sect 10.3. Pos 10.4. Con Stat sect 10.5. Incc 10.5. Incc 10.5. Incc 10.6. Haz smo SEC 11.1. Info Acu Toxi Sen Toxi Spe Toxi Spe Toxi Asp Toxi Prace	ety relevant basis data sh point: our pressure at 20 °C:: sity at 20 °C:: er solubility (g/L): at 20 °C:: cosity at °C:: er information: CTION 10: Stability an activity emical stability ble when applying the rec tion 7. sibility of hazardous re- aditions to avoid ble when applying the rec	Not appl partially s nd reactivity commended regulations for factions commended regulations for	icable °C 19,99 1,01 g/cm ³ oluble 8,5 - storage and handlir	DIN 53213 ng. Further information on ng. Further information on	correct storage: refer					
Flas Vap Den Wat pH a Visc 9.2. Othe 3.2. Othe 3.2. Che Stat sect 10.3. Pos 10.4. Con Stat sect 10.5. Incc 10.5. Incc 10.6. Haz smo SEC 10.1. Info Acu Toxi Inrita Toxi Sen Toxi Spe Toxi Asp Toxi Prace	sh point: our pressure at 20 °C:: sity at 20 °C:: er solubility (g/L): at 20 °C:: cosity at °C:: er information: CTION 10: Stability an activity emical stability ble when applying the rection 7. sibility of hazardous re- aditions to avoid ble when applying the rection activity	partially s nd reactivity commended regulations for actions commended regulations for	icable °C 19,99 1,01 g/cm ³ oluble 8,5 - storage and handlir	DIN 53213 ng. Further information on ng. Further information on	correct storage: refer					
9.2. Other 9.2. Other	our pressure at 20 °C:: sity at 20 °C:: ter solubility (g/L): at 20 °C:: cosity at °C:: er information: CTION 10: Stability an activity emical stability ble when applying the rection 7. ssibility of hazardous re- aditions to avoid ble when applying the rection	partially s nd reactivity commended regulations for actions commended regulations for	19,99 1,01 g/cm ³ oluble 8,5 - storage and handlir storage and handlir	ng. Further information on						
Den Wat pH a Visc 3.2. Othe SEC 10.1. Rea 10.2. Che Stab sect 10.3. Pos 10.4. Con Stab sect 10.5. Inco 10.6. Haz Haz smo SEC 10.1. Info Acu Toxi Sen Toxi Spe Toxi Spe Toxi Spe Toxi Asp Toxi	sity at 20 °C:: ter solubility (g/L): at 20 °C:: cosity at °C:: er information: CTION 10: Stability an activity emical stability ble when applying the rec tion 7. ssibility of hazardous re- aditions to avoid ble when applying the rec	nd reactivity commended regulations for actions commended regulations for	1,01 g/cm ³ oluble 8,5 - storage and handlir	ng. Further information on						
9.2. Other 9.2. Other 9.2. Other 9.2. Other 9.2. Other 9.2. Cher 9.2. Stater 10.2. Cher 9.2. Stater 10.3. Pos 10.4. Con 5.1. 10.5. Inco 10.6. Haz 10.6. Haz 10.7. Infor 10.6. Infor 11.1. Infor 10.6. Sen 10.7. 10.7. 10.7. 10.7. 10.6. Toxi 10.7.	ter solubility (g/L): at 20 °C:: cosity at °C:: er information: CTION 10: Stability an activity emical stability ble when applying the rec tion 7. ssibility of hazardous re- aditions to avoid ble when applying the rec	nd reactivity commended regulations for actions commended regulations for	oluble 8,5 storage and handlir storage and handlir	ng. Further information on						
9.2. Other Visc Visc SEC Other SEC Other SEC Other Stat Sect Other Sect Sect Other Sect Sect Other Sect Sect Other Sect Sect Other Sect Sect Sect Sect Sect Sect Sect Sect	at 20 °C:: cosity at °C:: er information: CTION 10: Stability an activity emical stability ole when applying the rec tion 7. ssibility of hazardous re- aditions to avoid ole when applying the rec	nd reactivity commended regulations for actions commended regulations for	8,5 - storage and handlir storage and handlir	ng. Further information on						
9.2. Other SEC 10.1. Rea 10.2. Che Stat sect 10.3. Pos 10.4. Con Stat sect 10.5. Inco 10.5. Inco 10.6. Haz smo SEC 10.1. Info Acu Toxi Sen Toxi Spe Toxi Spe Toxi Asp Toxi	er information: CTION 10: Stability an activity emical stability ole when applying the rec tion 7. esibility of hazardous re- aditions to avoid ole when applying the rec	commended regulations for actions commended regulations for	storage and handlir	ng. Further information on						
SEC 10.1. Rea 10.2. Che Stab sect 10.3. Pos 10.4. Con Stab sect 10.5. Incc 10.5. Incc 10.6. Haz smo SEC 11.1. Info Acu Toxi Irrita Toxi Sen Toxi Spe Toxi Asp Toxi Prace	CTION 10: Stability an activity mical stability ble when applying the rec tion 7. sibility of hazardous re- aditions to avoid ble when applying the rec	commended regulations for actions commended regulations for	storage and handlir	ng. Further information on						
10.1. Rea 10.2. Che Stab sect 10.3. Pos 10.4. Con Stab sect 10.5. Inco 10.6. Haz smo SEC 10.6. Haz smo SEC 11.1. Info Acu Toxi Irrita Toxi Sen Toxi Spe Toxi Asp Toxi Prace	enctivity emical stability ole when applying the rec tion 7. esibility of hazardous re- nditions to avoid ole when applying the rec	commended regulations for actions commended regulations for	storage and handlir	ng. Further information on						
 IO.2. Che Stab sect IO.3. Pos IO.4. Con Stab sect IO.5. Incc IO.5. Incc IO.6. Hazi smo SEC IO.6. Hazi smo II.1. Info Acu Toxi Toxi Sen Toxi Spe Toxi Asp Toxi Asp Toxi Prace 	emical stability ble when applying the rec tion 7. sibility of hazardous re- nditions to avoid ble when applying the rec	actions	storage and handlir	ng. Further information on						
Stab sect 10.3. Pos 10.4. Con Stab sect 10.5. Incc 10.6. Haz smo SEC 10.6. Haz smo SEC 11.1. Info Acu Toxi Irrita Toxi Sen Toxi Spe Toxi Asp Toxi Prace	ole when applying the rec tion 7. sibility of hazardous rea iditions to avoid ble when applying the rec	actions	storage and handlir	ng. Further information on						
10.4. Con Stab sect 10.5. Inco 10.6. Haz mo SEC No c 11.1. Info Acu Toxi Irrita Toxi Sen Toxi Spe Toxi Asp Toxi Asp Toxi	nditions to avoid ble when applying the rec	commended regulations for			correct storage: refer					
Stat sect 10.5. Inco 10.6. Haz smo SEC No o 11.1. Info Acu Toxi Irrita Toxi Sen Toxi Spe Toxi Spe Toxi Asp Toxi Prace	ble when applying the rec				correct storage: refer					
sect 10.5. Inco 10.6. Haz Haz smo SEC No o 11.1. Info Acu Toxi Irrita Toxi Sen Toxi Spe Toxi Asp Toxi Prac					correct storage: refer					
10.6. Haz Haz smo SEC No c 11.1. Info Acu Toxi Irrita Toxi Sen Toxi Spe Toxi Asp Toxi Asp	ion 7. Hazardous decom									
Haza smo SEC No c I1.1. Info Acu Toxi Irrita Toxi Sen Toxi Spe Toxi Asp Toxi Asp Toxi	ompatible materials									
No c 11.1. Info Acu Toxi Irrita Toxi Sen Toxi Spe Toxi Asp Toxi Prace	ardous decomposition ardous decomposition by ke, nitrogen oxides.	products yproducts may form with ex	posure to high temp	peratures, e.g.: carbon dic	oxide, carbon monoxid					
I1.1. Info Acu Toxi Irrita Toxi Sen Toxi CMF Toxi Spe Toxi Asp Toxi Prace	CTION 11: Toxicologi	cal information								
Acu Toxi Irrita Toxi Sen Toxi CMF Toxi Spe Toxi Asp Toxi Prace	No data on preparation itself available.									
Toxi Irrita Toxi Sen Toxi CMF Toxi Spe Toxi Asp Toxi Prace	Information on toxicological effects									
Irrita Toxi Sen Toxi CMF Toxi Spe Toxi Asp Toxi Prace	Acute toxicity									
Toxi Sen Toxi CMF Toxi Spe Toxi Asp Toxi Prac	Toxicological data are not available.									
Sen Toxi CMF Toxi Spe Toxi Asp Toxi Prace	Irritant and corrosive effects									
Toxi CMF Toxi Spe Toxi Asp Toxi Prac	Toxicological data are not available.									
CMF Toxi Spe Toxi Asp Toxi Prac	Sensitisation									
Toxi Spe Toxi Asp Toxi Prac	Toxicological data are not available.									
Spe Toxi Asp Toxi Prac	CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)									
Toxi Asp Toxi Prac	Toxicological data are not available.									
Asp Toxi Prac	Specific target organ toxicity									
Toxi Pra c	Toxicological data are not available.									
Prac	Aspiration hazard									
	Toxicological data are not available.									
	icological data are not av	Practical experience/human evidence								
	•	itation and reversible doma	je.							
Ove	•		Overall Assessment on CMR properties							
	ctical experience/human er observations: ashing may cause eye irri			as CMR category 1 or 2 ac	ccording to 67/548/EE					
_	ctical experience/human er observations: ashing may cause eye irri erall Assessment on CM ingredients in this prepar		ia for classification a		Remark There is no information available on the preparation itself.					
SEC	ctical experience/human er observations: ashing may cause eye irri erall Assessment on CM ingredients in this prepar nark	IR properties ration do not meet the criter								

overall evaluation

There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

Article No.: Print date: Version:	22400000 22.09.2020 1.3	LUKAS Acryl Klarlack seidenmatt Revision date: 25.01.2018 Issue date: 23.03.2015	EN Page: 5 / 6	

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 080111

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. Send to a collecting point for used paints.

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number	not applicable
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	not applicable
14.4. Packing group	not applicable
14.5. Environmental hazards	not applicable
Land transport (ADR/RID)	not applicable
Marine pollutant	not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

tunnel restriction code

Article No.: Print date: Version:		LUKAS Acryl Klarlack seidenmatt Revision date: 25.01.2018 Issue date: 23.03.2015	EN Page: 6 / 6			
	i transport (IMDG) S-No.	not applicable				
14.7. Tra	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code					
not	not applicable SECTION 15: Regulatory information					
SE						
15.1. Saf						
	legislation					
VO	ormation according to 1 C-value (in g/L) ISO 1189 C-value (in g/L) ASTM D	of volatile organic compounds (VOC-guideline).				
Nat	National regulations					
Obs	Restrictions of occupation Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).					
Oth	Other regulations, restrictions and prohibition regulations					
	 Chemical Safety Assessments Chemical safety assessments for substances in this preparation were not carried out. 					
16. Oth	Other information					
Rel	Relevant R-and H-phrases (Number and full text):					
Acu	ite Tox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.			
	ite Tox. 2 / H330	Acute toxicity (inhalative)	Fatal if inhaled.			
	n Irrit. 2 / H315	skin corrosion/irritation	Causes skin irritation.			
•	Dam. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.			
	n Sens. 1 / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.			
	atic Acute 1 / H400	Hazardous to the aquatic environment	Very toxic to aquatic organisms.			
	uatic Chronic 2 / H411 Ite Tox. 3 / H301	Hazardous to the aquatic environment Acute toxicity (oral)	Toxic to aquatic life with long lasting effects. Toxic if swallowed.			

Acute Tox. 3 / H311Acute toxicity (dermal)Acute Tox. 3 / H331Acute toxicity (inhalative)Skin Corr. 1B / H314skin corrosion/irritationSkin Sens. 1A / H317Respiratory or skin sensitisationAquatic Chronic 1 / H410Hazardous to the aquatic environment

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Further information

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.