Article Print o Versio	date	22120000 22.09.2020 1.4	LUKAS LEINOEL G Revision date 29.07 Issue date 26.11.20	1.2018	EN Page 1 / 6
	SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1.	product id	entifiers			
		(manufacturer/suppl n of the substance o		22120000 LUKAS LEINOEL GEBLEI LUKAS Bleached Linseed	
1.2.	Relevant ic	dentified uses of th	e substance or mix	ture and uses advised aga	ainst
	Paints for A Artists supp	dentified uses arts, Hobby & Craft oly and hobby prepa nd paints, thinners, p			
1.3.	Details of t	he supplier of the	safety data sheet		
	Supplier (manufacturer/importer/downstream user/distributor):				
	Daler-Rowr Peacock La Bracknell, F ENGLAND	ane		Telephone: +44 (0) 1344 4 Telefax: +44 (0) 1344 4869	
	Dept. resp	onsible for informa	tion:		
	E-mail			Philip.Gray@daler-rowney	.com
1.4.	Emergency Emergency	y telephone numbe telephone:	r	+44 (0) 1344 461000	
	SECTION	2: Hazards ident	fication		
2.1.	Classificat	ion of the substand	ce or mixture		
	Classificat	ion according to R	egulation (EC) No 1	272/2008 [CLP]	

2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws. Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms

Hazard statements

not applicable

Precautionary statements

not applicable

contains:

not applicable

Supplemental Hazard information (EU)

not applicable

2.3. Other hazards

Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be placed in a closed metal container soaked with water. Contaminated materials should be removed from the workplace at the end of each working day and be stored outside.

SECTION 3: Composition / information on ingredients

3.1. Substances

Painting Medium for Oil-Colour Description

Hazardous ingredients

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No.	REACH No.	
CAS No.	Chemical name	Wt %

Article Print o Versio	date	22120000 22.09.2020 1.4	LUKAS LEINOEL GEBLEICHT Revision date 29.01.2018 Issue date 26.11.2014	EN Page 2 / 6			
	INDEX No.	class	ification:		Remark		
	not applicable						
	Additional information Full text of classification: see section 16						
	SECTION 4: First aid measures						
4.1.	Description of first aid measures						
	General information						
	In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.						

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases:

Dense black smoke occurs during fire. Hazardous decomposition byproducts may form with exposure to high temperatures. Hazardous decomposition products: Acrolein

5.3. Special protective equipment for firefighters

Provide a conveniently located respiratory protective device.

Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

Article No.:	22120000	LUKAS LEINOEL GEBLEICHT	
Print date	22.09.2020	Revision date 29.01.2018	EN
Version	1.4	Issue date 26.11.2014	Page 3 / 6

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8.

Special danger of slipping by leaking/spilling product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

INDEX No. not applicable / CAS No.

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used:

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	Liquid				
Physical state	Liquid				
Colour	light yellow				
Odour	characteristic				
Safety relevant basis data			Unit	Method	Remark
Flash point (°C)		> 300	°C	DIN 53213	
Vapour pressure at 20 °C::		1			

Article Print c Versic	late	22120000 22.09.2020 1.4	LUKAS LEINOEL GEBLEICHT Revision date 29.01.2018 Issue date 26.11.2014	EN Page 4 / 6		
	Density a Water so pH at 20	lubility (g/L)	0,93 g/cm³ insoluble			
	Viscosity		- 50 mPa*s			
9.2.	Other inf	ormation:				
	SECTIO	N 10: Stability ar	nd reactivity			
10.1.	Reactivit	y				
10.2.	Stable wh	Chemical stability Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.				
10.3.	Possibility of hazardous reactions Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.					
10.4.	Conditions to avoid Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures. Hazardous decomposition products: Acrolein. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later.					
10.5.	Incompa	Incompatible materials				
10.6.	10.6. Hazardous decomposition products Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon m smoke, nitrogen oxides, Acrolein			temperatures, e.g.: carbon dioxide, carbon monoxide,		
	SECTIO	N 11: Toxicologi	cal information			
		tion according to R n preparation itself	egulation (EC) No 1272/2008 [CLP] available.			
11.1.	Informati	on on toxicologic	al effects			
	Acute to	cicity				
	-	ical data are not av				
		-	erious eye damage/eye irritation			
	-	ical data are not av				
	Respirate	ory or skin sensiti	sation			
	Toxicolog	ical data are not av	vailable.			
			ity, mutagenicity and toxicity for reprod	uction)		
	-	ical data are not av				
	-	target organ toxic	-			
	-	ical data are not av	ailable.			
	Aspiratio					
	-	ical data are not av				
		experience/huma	n evidence			
		ervations:				
		Overall Assessment on CMR properties				
		tance does not me	et the criteria for classification as CMR cat	egory 1A or 1B according to CLP.		
	Remark					
	There is r	o information avail	able on the preparation itself .			
	SECTIO	N 12: Ecological	information			
	There is r	tion according to R to information avail	egulation (EC) No 1272/2008 [CLP] able on the preparation itself . face water or drains.			

Do not allow to enter into surface water or drains.

12.1. Toxicity

No information available.

Article No.:	22120000	LUKAS LEINOEL GEBLEICHT	
Print date	22.09.2020	Revision date 29.01.2018	EN
Version	1.4	Issue date 26.11.2014	Page 5 / 6

Long-term Ecotoxicity

Toxicological data are not available.

- 12.2. **Persistence and degradability** Toxicological data are not available.
- 12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 080111

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. Send to a collecting point for used paints.

Additional information

Spontaneous ignition possible through autoxidation of cloths soaked in the product.

	SECTION 14: Transport information		
	No dangerous good in sense of this transport regulation.		
14.1.	UN number		
		not applicable	
14.2.	UN proper shipping name		
14.3.	Transport hazard class(es)		
		not applicable	
14.4.	Packing group		
		not applicable	
14.5.	Environmental hazards		
	Land transport (ADR/RID)	not applicable	
	Marine pollutant	not applicable	
14.6.	Special precautions for user		
	Transport always in closed, upright and safe cor case of an accident or leakage. Advices on safe handling: see parts 6 - 8	ntainers. Make sure that persons transporting the product know what to do in	
	Further information		
	Land transport (ADR/RID)		
	tunnel restriction code	-	
	Sea transport (IMDG)		
	EmS-No.	not applicable	

Article No.:	22120000	LUKAS LEINOEL GEBLEICHT		
Print date	22.09.2020	Revision date 29.01.2018	EN	
Version	1.4	Issue date 26.11.2014	Page 6 / 6	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Information according to 1999/13/EC about	limitation of emissions of volatile organic compounds (VOC-guideline).
VOC-value (in g/L) ISO 11890-2:	0
VOC-value (in g/L) ASTM D 2369:	0

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations, restrictions and prohibition regulations

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

16. Other information

Full text of classification in section 3:

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

Annex

At present, data / information on exposure scenarios are not available, so that an evaluation of the preperation cannot yet be made.