# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article No.: 22500000 LUKAS Berlin LEINOEL MODIFIZIERT

 Print date
 21.09.2020
 Revision date 30.01.2018
 EN

 Version
 2.0
 Issue date 30.01.2018
 Page 1 / 6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. product identifiers

Article No. (manufacturer/supplier): 22500000

Identification of the substance or mixture

LUKAS Berlin LEINOEL MODIFIZIERT

LUKAS Berlin Linseed Oil modified

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Paints for Arts, Hobby & Craft

Artists supply and hobby preparations

Coatings and paints, thinners, paint removers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/downstream user/distributor):

Daler-Rowney Ltd

Peacock Lane Bracknell, RG12 8SS Telephone: +44 (0) 1344 461083 Telefax: +44 (0) 1344 486511

**ENGLAND** 

Dept. responsible for information:

E-mail Philip.Gray@daler-rowney.com

1.4. Emergency telephone number

Emergency telephone: +44 (0) 1344 461000

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

**Hazard statements** 

not applicable

**Precautionary statements** 

not applicable

contains:

not applicable

Supplemental Hazard information (EU)

not applicable

# 2.3. Other hazards

Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be placed in a closed metal container soaked with water. Contaminated materials should be removed from the workplace at the end of each working day and be stored outside.

## **SECTION 3: Composition / information on ingredients**

## 3.2. Mixtures

Product description / chemical characterization

Description Painting Medium for Oil-Colour

Hazardous ingredients

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No. REACH No.

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article No.: 22500000 LUKAS Berlin LEINOEL MODIFIZIERT

Print date 21.09.2020 Revision date 30.01.2018 EN Version 2.0 Revision date 30.01.2018 Page 2 / 6

CAS No. Chemical name Wt % INDEX No. classification: Remark

not applicable

#### **Additional information**

Full text of classification: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

## 4.3. Indication of any immediate medical attention and special treatment needed

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

# Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

# Extinguishing media which must not be used for safety reasons:

strong water jet

# 5.2. Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases:

Dense black smoke occurs during fire. Hazardous decomposition byproducts may form with exposure to high temperatures. Hazardous decomposition products: Acrolein

# 5.3. Special protective equipment for firefighters

Provide a conveniently located respiratory protective device.

#### Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article No.: 22500000 LUKAS Berlin LEINOEL MODIFIZIERT

 Print date
 21.09.2020
 Revision date 30.01.2018
 EN

 Version
 2.0
 Issue date 30.01.2018
 Page 3 / 6

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limit values:

INDEX No. not applicable / CAS No.

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

# Occupational exposure controls

# **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

# **Hand protection**

For prolonged or repeated handling the following glove material must be used:

Thickness of the glove material > 0.4 mm; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

## Eye protection

Wear closely fitting protective glasses in case of splashes.

# **Protective clothing**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance:LiquidPhysical stateLiquidColourlight yellowOdourcharacteristic

| Safety relevant basis data | Unit     | Method    | Remark |
|----------------------------|----------|-----------|--------|
| Flash point (°C)           | > 300 °C | DIN 53213 |        |

# according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010

Article No.: 22500000 LUKAS Berlin LEINOEL MODIFIZIERT

Print date 21.09.2020 Revision date 30.01.2018 EN Version 2.0 Revision date 30.01.2018 Page 4 / 6

Vapour pressure at 20 °C:: 0,83

Density at 20 °C:: 0,94 g/cm³

Water solubility (g/L) completely miscible

**pH at 20 °C:** - **Viscosity at 20 °C:** 50 mPa\*s

9.2. Other information:

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

#### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures. Hazardous decomposition products: Acrolein. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later.

#### 10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides, Acrolein

#### **SECTION 11: Toxicological information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

No data on preparation itself available.

#### 11.1. Information on toxicological effects

# **Acute toxicity**

Toxicological data are not available.

#### skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

#### Respiratory or skin sensitisation

Toxicological data are not available.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

#### Specific target organ toxicity

Toxicological data are not available.

#### **Aspiration hazard**

Toxicological data are not available.

# Practical experience/human evidence

Other observations:

## **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself.

# **SECTION 12: Ecological information**

#### overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP]

There is no information available on the preparation itself .

Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article No.: 22500000 LUKAS Berlin LEINOEL MODIFIZIERT

 Print date
 21.09.2020
 Revision date 30.01.2018
 EN

 Version
 2.0
 Issue date 30.01.2018
 Page 5 / 6

No information available.

#### Long-term Ecotoxicity

Toxicological data are not available.

#### 12.2. Persistence and degradability

Toxicological data are not available.

#### 12.3. Bioaccumulative potential

Toxicological data are not available.

### **Bioconcentration factor (BCF)**

Toxicological data are not available.

#### 12.4. Mobility in soil

Toxicological data are not available.

#### 12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal / Product

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### List of proposed waste codes/waste designations in accordance with EWC

140603\* other solvents and solvent mixtures

### packaging

#### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. Send to a collecting point for used paints.

#### **Additional information**

Spontaneous ignition possible through autoxidation of cloths soaked in the product.

# **SECTION 14: Transport information**

No dangerous good in sense of this transport regulation.

## 14.1. UN number

not applicable

# 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

not applicable

## 14.4. Packing group

not applicable

# 14.5. Environmental hazards

Land transport (ADR/RID) not applicable
Marine pollutant not applicable

# 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

# **Further information**

# Land transport (ADR/RID)

tunnel restriction code

# Sea transport (IMDG)

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article No.: 22500000 LUKAS Berlin LEINOEL MODIFIZIERT

 Print date
 21.09.2020
 Revision date 30.01.2018
 EN

 Version
 2.0
 Issue date 30.01.2018
 Page 6 / 6

EmS-No. not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** legislation

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).

VOC-value (in g/L) ISO 11890-2: 0
VOC-value (in g/L) ASTM D 2369: 0

**National regulations** 

### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

#### Other regulations, restrictions and prohibition regulations

# 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

#### 16. Other information

#### Full text of classification in section 3:

#### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.